



EUROPEAN RENAL ASSOCIATION

EUROPEAN DIALYSIS AND TRANSPLANT ASSOCIATION

# ERA - EDTA REGISTRY

Survival data for Austria  
2001

## **ERA-EDTA Registry**

Department of Medical Informatics  
Academic Medical Center, J1B-125  
PO Box 22700  
1100 DE Amsterdam  
The Netherlands

Telephone +31 20 566 7637  
Fax +31 20 691 9840  
E-mail [erareg@amc.uva.nl](mailto:erareg@amc.uva.nl)  
Website [www.era-edta-reg.org](http://www.era-edta-reg.org)

Further information (e.g. collaborating registries, methods) can be found in the ERA-EDTA Registry annual report 2001, which is published on the ERA-EDTA Registry website [www.era-edta-reg.org](http://www.era-edta-reg.org).

# Table of Contents

## A5 SURVIVAL PROBABILITY (residents only)

### Patient Survival on Renal Replacement Therapy (RRT)

<b>Table A.5.1</b> .....	<b>5</b>
90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, unadjusted <i>from day 1 to 90 days, one, two and five years, by age, gender and primary diagnosis</i>	
<b>Table A.5.2</b> .....	<b>6</b>
90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, adjusted <i>from day 1 to 90 days, one, two and five years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.3</b> .....	<b>7</b>
One-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, unadjusted <i>from day 91 to one, two and five years + 90 days, by age, gender and primary diagnosis</i>	
<b>Table A.5.4</b> .....	<b>8</b>
One-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, adjusted <i>from day 91 to one, two and five years + 90 days, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.5</b> .....	<b>9</b>
90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, unadjusted <i>from day 1 to 90 days, one and two years, by age, gender and primary diagnosis</i>	
<b>Table A.5.6</b> .....	<b>10</b>
90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, adjusted <i>from day 1 to 90 days, one and two years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.7</b> .....	<b>11</b>
One- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, unadjusted <i>from day 91 to one and two years + 90 days, by age, gender and primary diagnosis</i>	
<b>Table A.5.8</b> .....	<b>12</b>
One- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, adjusted <i>from day 91 to one and two years + 90 days, adjusted for age, gender and primary diagnosis</i>	

### Patient Survival on Dialysis

<b>Table A.5.9</b> .....	<b>13</b>
90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, unadjusted <i>from day 1 to 90 days, one, two and five years, by age, gender and primary diagnosis</i>	
<b>Table A.5.10</b> .....	<b>14</b>
90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, adjusted <i>from day 1 to 90 days, one, two and five years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.11</b> .....	<b>15</b>
One-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, unadjusted <i>from day 91 to one, two and five years + 90 days, by age, gender and primary diagnosis</i>	
<b>Table A.5.12</b> .....	<b>16</b>
One-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, adjusted <i>from day 91 to one, two and five years + 90 days, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.13</b> .....	<b>17</b>
90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, unadjusted <i>from day 1 to 90 days, one and two years, by age, gender and primary diagnosis</i>	
<b>Table A.5.14</b> .....	<b>18</b>
90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, adjusted <i>from day 1 to 90 days, one and two years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.15</b> .....	<b>19</b>
One- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, unadjusted <i>from day 91 to one and two years + 90 days, by age, gender and primary diagnosis</i>	
<b>Table A.5.16</b> .....	<b>20</b>
One- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, adjusted <i>from day 91 to one and two years + 90 days, adjusted for age, gender and primary diagnosis</i>	

### Patient Survival after First Transplant (cadaver donor)

<b>Table A.5.17</b> .....	<b>21</b>
One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (cadaver donor), unadjusted <i>from day of transplant to one, two and five years, by age, gender and primary diagnosis</i>	
<b>Table A.5.18</b> .....	<b>22</b>
One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (cadaver donor), adjusted <i>from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.19</b> .....	<b>23</b>
One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (cadaver donor), unadjusted <i>from day of transplant to one and two years, by age, gender and primary diagnosis</i>	

<b>Table A.5.20</b> .....	<b>24</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (cadaver donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis</i>	
<b>Patient Survival after First Transplant (living donor)</b>	
<b>Table A.5.21</b> .....	<b>25</b>
<i>One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (living donor), unadjusted from day of transplant to one, two and five years, by age, gender and primary diagnosis</i>	
<b>Table A.5.22</b> .....	<b>26</b>
<i>One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (living donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.23</b> .....	<b>27</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (living donor), unadjusted from day of transplant to one and two years, by age, gender and primary diagnosis</i>	
<b>Table A.5.24</b> .....	<b>28</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (living donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis</i>	
<b>Graft Survival after First Transplant (cadaver donor)</b>	
<b>Table A.5.25</b> .....	<b>29</b>
<i>One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (cadaver donor), unadjusted from day of transplant to one, two and five years, by age, gender and primary diagnosis</i>	
<b>Table A.5.26</b> .....	<b>30</b>
<i>One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (cadaver donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.27</b> .....	<b>31</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First graft (cadaver donor), unadjusted from day of transplant to one and two years, by age, gender and primary diagnosis</i>	
<b>Table A.5.28</b> .....	<b>32</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First graft (cadaver donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis</i>	
<b>Graft Survival after First Transplant (living donor)</b>	
<b>Table A.5.29</b> .....	<b>33</b>
<i>One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (living donor), unadjusted from day of transplant to one, two and five years, by age, gender and primary diagnosis</i>	
<b>Table A.5.30</b> .....	<b>34</b>
<i>One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (living donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis</i>	
<b>Table A.5.31</b> .....	<b>35</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First graft (living donor), unadjusted from day of transplant to one and two years, by age, gender and primary diagnosis</i>	
<b>Table A.5.32</b> .....	<b>36</b>
<i>One- and two-year survival probabilities (cohort 1995-1999): First graft (living donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis</i>	

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.1

**90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, unadjusted**  
*from day 1 to 90 days, one, two and five years, by age, gender and primary diagnosis*

	90 day Survival (95% CI)	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>				
0-19	99.5 (98.7-99.8)	96.9 (95.6-97.8)	94.9 (93.3-96.1)	92.4 (90.6-93.8)
20-44	98.7 (98.4-99.0)	95.4 (94.9-95.8)	91.5 (90.9-92.1)	83.3 (82.6-84.1)
45-64	95.9 (95.6-96.2)	87.0 (86.5-87.5)	76.9 (76.4-77.4)	55.2 (54.7-55.6)
65-74	92.0 (91.5-92.4)	76.2 (75.6-76.8)	59.9 (59.4-60.5)	28.2 (28.0-28.4)
75+	85.8 (85.0-86.6)	64.6 (63.7-65.4)	46.1 (45.5-46.7)	14.9 (14.7-15.0)
Male	94.0 (93.7-94.2)	82.7 (82.2-83.1)	70.8 (70.3-71.2)	47.3 (47.0-47.6)
Female	93.9 (93.5-94.3)	82.2 (81.7-82.7)	70.6 (70.1-71.1)	47.9 (47.5-48.3)
DM	93.7 (93.1-94.2)	77.4 (76.6-78.1)	59.6 (58.9-60.3)	30.2 (29.8-30.5)
Non DM	93.9 (93.6-94.1)	83.4 (83.1-83.8)	73.0 (72.7-73.4)	51.3 (51.0-51.6)
All	93.9 (93.7-94.2)	82.5 (82.2-82.8)	70.7 (70.4-71.0)	47.5 (47.3-47.8)

	90 day Survival (95% CI)	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>				
0-19	100	95.8 (88.2-98.6)	93.0 (84.9-96.9)	93.0 (84.9-96.9)
20-44	99.0 (97.9-99.5)	95.6 (93.9-96.9)	92.1 (90.0-93.8)	83.5 (81.0-85.7)
45-64	94.6 (93.5-95.6)	84.5 (82.9-85.9)	73.4 (71.8-74.9)	48.0 (46.9-49.2)
65-74	92.5 (91.0-93.8)	73.6 (71.6-75.4)	57.1 (55.4-58.7)	23.3 (22.7-23.9)
75+	86.2 (83.4-88.6)	60.9 (58.3-63.4)	38.2 (36.6-39.8)	11.4 (11.1-11.7)
Male	94.6 (93.6-95.4)	82.4 (81.1-83.7)	70.1 (68.8-71.4)	44.8 (43.9-45.7)
Female	92.8 (91.6-93.9)	78.0 (76.5-79.5)	65.1 (63.7-66.6)	41.4 (40.5-42.4)
DM	92.8 (91.2-94.1)	73.5 (71.6-75.4)	55.5 (53.9-57.1)	24.2 (23.6-24.9)
Non DM	94.2 (93.4-94.9)	83.2 (82.1-84.3)	72.7 (71.5-73.8)	50.6 (49.7-51.5)
All	93.8 (93.1-94.5)	80.6 (79.6-81.5)	68.0 (67.0-68.9)	43.4 (42.7-44.0)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.2

**90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, adjusted from day 1 to 90 days, one, two and five years, adjusted for age, gender and primary diagnosis**

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>				
0-19	99.2 (98.6-99.8)	96.3 (95.0-97.6)	94.0 (92.4-95.7)	91.5 (89.5-93.4)
20-44	98.7 (98.5-99.0)	95.4 (94.9-95.9)	91.6 (90.9-92.3)	83.4 (82.5-84.3)
45-64	96.0 (95.7-96.3)	87.4 (86.8-87.9)	77.5 (76.8-78.2)	55.5 (54.6-56.3)
65-74	92.1 (91.6-92.6)	76.7 (75.9-77.4)	60.4 (59.5-61.3)	27.9 (27.1-28.8)
75+	85.3 (84.3-86.3)	63.5 (62.2-64.8)	44.7 (43.4-46.1)	13.4 (12.5-14.4)
Male	95.1 (94.9-95.4)	85.6 (85.1-86.0)	74.6 (74.0-75.1)	48.4 (47.7-49.1)
Female	95.4 (95.1-95.7)	86.0 (85.5-86.5)	75.6 (75.0-76.3)	50.9 (50.1-51.8)
DM	94.7 (94.3-95.2)	80.3 (79.4-81.1)	63.1 (62.0-64.2)	29.8 (28.7-30.9)
Non DM	95.3 (95.0-95.5)	86.7 (86.3-87.0)	77.3 (76.8-77.8)	54.0 (53.4-54.6)
All	95.2 (95.1-95.4)	85.7 (85.4-86.1)	75.0 (74.6-75.5)	49.4 (48.8-50.0)

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>				
0-19				
20-44	99.0 (98.3-99.7)	95.7 (94.2-97.2)	92.3 (90.3-94.3)	83.7 (81.0-86.5)
45-64	95.0 (94.0-96.0)	85.4 (83.8-87.1)	75.2 (73.2-77.2)	50.0 (47.6-52.4)
65-74	93.0 (91.6-94.4)	76.1 (73.8-78.5)	60.4 (57.7-63.2)	25.9 (23.5-28.6)
75+	87.1 (84.3-89.9)	63.0 (59.0-67.2)	40.2 (36.1-44.7)	12.2 (9.6-15.5)
Male	95.6 (94.9-96.3)	85.5 (84.2-86.8)	73.9 (72.3-75.6)	45.4 (43.4-47.6)
Female	95.3 (94.5-96.1)	84.7 (83.3-86.2)	73.9 (72.1-75.8)	47.8 (45.4-50.2)
DM	94.5 (93.4-95.7)	79.1 (77.0-81.2)	62.4 (59.8-65.1)	27.2 (24.6-30.1)
Non DM	95.2 (94.5-95.9)	85.5 (84.4-86.7)	75.5 (74.1-77.0)	50.7 (48.9-52.6)
All	95.5 (94.9-96.0)	85.1 (84.1-86.0)	73.8 (72.6-75.1)	46.3 (44.8-48.0)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.3

**One-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, unadjusted**  
*from day 91 to one, two and five years + 90 days, by age, gender and primary diagnosis*

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>			
0-19	96.5 (95.0-97.5)	95.0 (93.4-96.3)	92.1 (90.2-93.7)
20-44	95.5 (95.0-96.0)	91.7 (91.1-92.3)	83.2 (82.5-84.0)
45-64	87.9 (87.5-88.4)	77.9 (77.4-78.4)	55.4 (54.9-55.9)
65-74	78.3 (77.7-78.9)	61.3 (60.7-61.9)	28.6 (28.4-28.9)
75+	69.3 (68.3-70.2)	49.5 (48.7-50.2)	15.3 (15.1-15.4)
Male	84.4 (84.0-84.8)	72.3 (71.9-72.7)	48.0 (47.7-48.3)
Female	84.2 (83.7-84.7)	72.4 (71.9-72.9)	48.8 (48.4-49.2)
DM	77.1 (76.3-77.9)	59.7 (58.9-60.4)	29.6 (29.2-29.9)
Non DM	85.8 (85.5-86.2)	75.1 (74.7-75.5)	52.4 (52.1-52.7)
All	84.3 (84.0-84.6)	72.3 (72.0-72.7)	48.3 (48.1-48.6)

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>			
0-19	94.4 (86.4-97.7)	92.9 (84.8-96.8)	92.9 (84.8-96.8)
20-44	95.7 (94.0-97.0)	92.4 (90.4-94.1)	83.5 (81.0-85.7)
45-64	86.7 (85.2-88.1)	75.3 (73.7-76.9)	49.1 (47.9-50.3)
65-74	74.2 (72.2-76.1)	57.1 (55.3-58.8)	23.3 (22.7-23.9)
75+	62.2 (59.3-64.9)	41.4 (39.4-43.3)	12.4 (12.0-12.8)
Male	83.9 (82.5-85.1)	71.9 (70.5-73.2)	45.9 (44.9-46.9)
Female	80.0 (78.3-81.5)	67.0 (65.4-68.5)	43.2 (42.2-44.2)
DM	73.8 (71.7-75.7)	56.5 (54.8-58.2)	24.2 (23.6-24.8)
Non DM	85.4 (84.2-86.4)	74.8 (73.5-76.0)	52.5 (51.5-53.4)
All	82.2 (81.2-83.2)	69.8 (68.8-70.8)	44.7 (44.0-45.5)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.4

**One-, two- and five-year survival probabilities (cohort 1992-1996): Incident RRT patients, adjusted from day 91 to one, two and five years + 90 days, adjusted for age, gender and primary diagnosis**

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>			
0-19	95.8 (94.4-97.3)	94.1 (92.4-95.9)	91.2 (89.1-93.3)
20-44	95.6 (95.1-96.1)	91.8 (91.1-92.5)	83.5 (82.6-84.4)
45-64	88.3 (87.8-88.9)	78.6 (77.9-79.3)	56.1 (55.3-57.0)
65-74	78.8 (78.0-79.6)	61.8 (60.9-62.8)	28.7 (27.8-29.6)
75+	68.3 (66.9-69.7)	47.9 (46.4-49.4)	14.0 (13.0-15.1)
Male	86.9 (86.5-87.3)	75.6 (75.0-76.2)	48.9 (48.2-49.6)
Female	87.4 (86.9-87.9)	76.8 (76.2-77.5)	51.6 (50.7-52.5)
DM	79.8 (78.9-80.8)	62.8 (61.6-63.9)	29.1 (28.0-30.3)
Non DM	88.4 (88.0-88.8)	78.7 (78.2-79.2)	54.8 (54.2-55.5)
All	87.1 (86.8-87.5)	76.1 (75.7-76.6)	50.0 (49.4-50.6)

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>			
0-19			
20-44	95.8 (94.3-97.3)	92.6 (90.7-94.6)	83.9 (81.2-86.7)
45-64	87.9 (86.4-89.4)	77.2 (75.2-79.2)	51.4 (49.0-53.9)
65-74	76.9 (74.5-79.3)	60.7 (57.9-63.6)	26.5 (24.0-29.4)
75+	64.2 (59.9-68.7)	43.4 (39.0-48.3)	13.6 (10.7-17.4)
Male	86.5 (85.2-87.8)	75.2 (73.5-77.0)	46.3 (44.2-48.6)
Female	85.9 (84.4-87.3)	74.7 (72.8-76.6)	48.6 (46.1-51.2)
DM	78.8 (76.6-81.1)	62.6 (59.9-65.5)	26.7 (24.0-29.7)
Non DM	87.1 (85.9-88.3)	76.8 (75.3-78.4)	51.9 (50.0-53.9)
All	86.1 (85.2-87.1)	74.9 (73.6-76.2)	47.2 (45.5-48.9)



**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.5

**90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, unadjusted**  
*from day 1 to 90 days, one and two years, by age, gender and primary diagnosis*

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	99.1 (98.2-99.5)	96.5 (95.2-97.5)	95.2 (93.7-96.3)
20-44	98.5 (98.2-98.8)	95.1 (94.6-95.6)	91.5 (91.0-92.1)
45-64	95.9 (95.6-96.2)	87.3 (86.8-87.7)	78.1 (77.6-78.5)
65-74	90.8 (90.4-91.2)	75.3 (74.8-75.8)	60.1 (59.6-60.6)
75+	86.4 (85.8-87.0)	66.2 (65.6-66.9)	48.1 (47.6-48.6)
Male	93.3 (93.0-93.5)	81.5 (81.2-81.9)	69.9 (69.5-70.2)
Female	92.9 (92.6-93.3)	80.9 (80.5-81.3)	69.4 (68.9-69.8)
DM	93.4 (93.0-93.9)	78.4 (77.8-79.1)	61.4 (60.8-62.0)
Non DM	92.9 (92.7-93.2)	81.7 (81.4-82.1)	71.5 (71.2-71.8)
All	93.1 (92.9-93.3)	81.3 (81.0-81.6)	69.7 (69.4-70.0)

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19	100	97.1 (89.5-99.2)	95.7 (87.8-98.5)
20-44	97.9 (96.6-98.7)	95.1 (93.4-96.4)	92.4 (90.4-94.0)
45-64	94.6 (93.5-95.5)	83.3 (81.8-84.7)	72.6 (71.0-74.0)
65-74	90.0 (88.5-91.3)	71.5 (69.7-73.2)	55.3 (53.8-56.8)
75+	86.5 (84.3-88.5)	63.7 (61.4-65.8)	42.4 (40.9-43.9)
Male	93.4 (92.5-94.2)	80.0 (78.7-81.1)	67.5 (66.3-68.7)
Female	91.3 (90.1-92.4)	77.0 (75.5-78.4)	64.3 (62.9-65.7)
DM	91.3 (89.9-92.6)	74.0 (72.2-75.6)	55.6 (54.1-57.0)
Non DM	93.1 (92.2-93.8)	80.8 (79.7-81.9)	70.7 (69.6-71.8)
All	92.5 (91.8-93.2)	78.7 (77.8-79.7)	66.2 (65.3-67.1)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.6

**90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, adjusted from day 1 to 90 days, one and two years, adjusted for age, gender and primary diagnosis**

	90 day Survival (95% CI)	1 year Survival (95% CI)	2 year Survival (95% CI)
<b>ALL COUNTRIES</b>			
0-19	98.9 (98.3-99.6)	96.1 (94.8-97.4)	94.5 (93.0-96.1)
20-44	98.5 (98.2-98.8)	95.1 (94.6-95.6)	91.5 (90.9-92.2)
45-64	96.0 (95.7-96.3)	87.5 (87.0-88.0)	78.6 (78.0-79.2)
65-74	90.9 (90.4-91.3)	75.7 (75.0-76.4)	60.7 (59.9-61.5)
75+	85.9 (85.2-86.7)	65.5 (64.5-66.5)	47.2 (46.1-48.2)
Male	94.9 (94.6-95.1)	85.4 (85.1-85.8)	75.2 (74.7-75.7)
Female	94.9 (94.6-95.1)	85.6 (85.2-86.1)	75.9 (75.3-76.5)
DM	94.7 (94.4-95.1)	82.2 (81.5-82.9)	66.6 (65.7-67.5)
Non DM	94.8 (94.6-95.0)	86.0 (85.7-86.4)	77.2 (76.8-77.7)
All	94.9 (94.7-95.0)	85.5 (85.2-85.8)	75.5 (75.1-75.9)

	90 day Survival (95% CI)	1 year Survival (95% CI)	2 year Survival (95% CI)
<b>AUSTRIA</b>			
0-19			
20-44	97.9 (96.9-99.0)	95.1 (93.6-96.7)	92.5 (90.6-94.4)
45-64	94.9 (93.9-95.9)	84.3 (82.7-86.0)	74.2 (72.2-76.2)
65-74	90.7 (89.3-92.2)	74.0 (71.8-76.3)	58.7 (56.3-61.3)
75+	87.1 (84.8-89.5)	65.1 (61.8-68.6)	44.0 (40.6-47.8)
Male	94.9 (94.2-95.6)	84.1 (82.9-85.3)	72.7 (71.1-74.3)
Female	94.5 (93.7-95.3)	84.6 (83.2-85.9)	74.4 (72.7-76.1)
DM	93.6 (92.5-94.7)	80.2 (78.4-82.0)	64.0 (61.7-66.3)
Non DM	94.5 (93.8-95.2)	84.2 (83.1-85.4)	74.9 (73.5-76.3)
All	94.7 (94.2-95.2)	84.3 (83.3-85.2)	73.4 (72.2-74.6)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.7

**One- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, unadjusted**  
*from day 91 to one and two years + 90 days, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	96.9 (95.5-97.9)	95.7 (94.1-96.8)
20-44	95.5 (95.0-95.9)	91.9 (91.3-92.5)
45-64	88.2 (87.8-88.6)	79.0 (78.5-79.4)
65-74	78.7 (78.1-79.2)	62.1 (61.6-62.6)
75+	71.2 (70.5-71.9)	51.0 (50.4-51.6)
Male	84.0 (83.6-84.3)	71.7 (71.3-72.1)
Female	83.6 (83.2-84.1)	71.5 (71.0-72.0)
DM	79.0 (78.4-79.7)	61.6 (61.0-62.2)
Non DM	84.9 (84.6-85.2)	74.0 (73.6-74.3)
All	83.8 (83.6-84.1)	71.6 (71.3-71.9)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19	97.1 (89.3-99.2)	95.6 (87.6-98.5)
20-44	96.3 (94.6-97.4)	93.6 (91.6-95.1)
45-64	85.3 (83.8-86.7)	73.8 (72.2-75.3)
65-74	74.7 (72.8-76.5)	57.0 (55.4-58.6)
75+	66.9 (64.4-69.3)	41.9 (40.2-43.5)
Male	82.0 (80.8-83.2)	68.7 (67.4-69.9)
Female	80.9 (79.3-82.3)	66.8 (65.2-68.2)
DM	75.9 (74.0-77.6)	56.4 (54.8-57.9)
Non DM	84.0 (82.8-85.0)	72.8 (71.6-73.9)
All	81.6 (80.6-82.5)	67.9 (66.9-68.9)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Renal Replacement Therapy (RRT)**

Table A.5.8

**One- and two-year survival probabilities (cohort 1995-1999): Incident RRT patients, adjusted**  
*from day 91 to one and two years + 90 days, adjusted for age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	96.4 (95.1-97.8)	95.1 (93.5-96.6)
20-44	95.5 (95.1-96.0)	92.0 (91.4-92.7)
45-64	88.6 (88.1-89.1)	79.8 (79.2-80.4)
65-74	79.2 (78.5-79.9)	63.1 (62.3-64.0)
75+	70.6 (69.6-71.6)	50.4 (49.3-51.6)
Male	87.3 (86.9-87.6)	76.7 (76.2-77.2)
Female	87.6 (87.2-88.1)	77.6 (77.0-78.1)
DM	82.4 (81.7-83.1)	66.7 (65.8-67.7)
Non DM	88.3 (88.0-88.6)	79.0 (78.6-79.5)
All	87.4 (87.1-87.7)	77.0 (76.6-77.4)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44	96.3 (94.9-97.7)	93.7 (91.9-95.5)
45-64	86.5 (85.0-88.1)	75.9 (73.9-77.9)
65-74	77.4 (75.2-79.7)	61.1 (58.5-63.8)
75+	68.6 (65.1-72.3)	44.6 (40.8-48.7)
Male	85.6 (84.3-86.8)	73.6 (72.0-75.3)
Female	87.2 (85.9-88.5)	76.0 (74.3-77.8)
DM	81.3 (79.4-83.2)	64.5 (62.1-66.9)
Non DM	86.5 (85.4-87.7)	76.1 (74.7-77.6)
All	86.2 (85.3-87.2)	74.6 (73.4-75.9)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Dialysis**

Table A.5.9

**90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, unadjusted**  
*from day 1 to 90 days, one, two and five years, by age, gender and primary diagnosis*

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>				
0-19	99.3 (98.4-99.7)	96.9 (95.2-97.9)	94.2 (91.8-95.9)	88.5 (84.6-91.4)
20-44	98.7 (98.4-98.9)	95.0 (94.4-95.5)	89.8 (89.0-90.6)	74.6 (73.4-75.7)
45-64	95.8 (95.5-96.2)	86.7 (86.2-87.2)	75.4 (74.8-75.9)	47.0 (46.5-47.4)
65-74	91.9 (91.5-92.4)	76.2 (75.6-76.8)	59.6 (59.1-60.2)	26.9 (26.7-27.1)
75+	85.8 (85.0-86.6)	64.5 (63.7-65.4)	46.2 (45.5-46.8)	14.8 (14.6-14.9)
Male	93.8 (93.5-94.1)	81.9 (81.5-82.3)	68.1 (67.7-68.5)	36.9 (36.7-37.2)
Female	93.8 (93.4-94.1)	81.5 (81.0-82.1)	68.4 (67.8-68.9)	38.9 (38.6-39.2)
DM	93.6 (93.0-94.1)	76.7 (75.9-77.5)	57.3 (56.6-58.0)	22.4 (22.1-22.6)
Non DM	93.8 (93.5-94.0)	82.7 (82.3-83.1)	70.7 (70.3-71.0)	41.5 (41.2-41.8)
All	93.8 (93.6-94.0)	81.7 (81.4-82.1)	68.2 (67.9-68.6)	37.7 (37.5-37.9)

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>				
0-19	100	97.6 (84.9-99.6)	89.7 (73.3-96.2)	89.7 (73.3-96.2)
20-44	99.1 (98.0-99.6)	95.4 (93.5-96.8)	90.7 (88.2-92.7)	75.3 (71.5-78.6)
45-64	94.8 (93.7-95.7)	84.3 (82.7-85.7)	72.4 (70.8-74.0)	39.4 (38.2-40.5)
65-74	92.6 (91.1-93.8)	73.8 (71.9-75.6)	57.1 (55.5-58.8)	22.1 (21.6-22.7)
75+	86.4 (83.6-88.7)	61.3 (58.7-63.9)	38.7 (37.1-40.4)	11.7 (11.4-12.1)
Male	94.6 (93.7-95.4)	82.0 (80.7-83.3)	68.2 (66.8-69.5)	34.1 (33.3-34.9)
Female	92.9 (91.7-93.9)	77.7 (76.1-79.2)	63.4 (61.9-64.9)	33.1 (32.3-34.0)
DM	93.0 (91.5-94.3)	73.4 (71.4-75.2)	54.2 (52.6-55.9)	18.0 (17.6-18.5)
Non DM	94.2 (93.4-95.0)	82.8 (81.6-84.0)	71.0 (69.7-72.2)	40.7 (39.9-41.6)
All	93.9 (93.2-94.5)	80.2 (79.1-81.2)	66.1 (65.1-67.1)	33.7 (33.1-34.3)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Dialysis**

Table A.5.10

**90-day, one-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, adjusted from day 1 to 90 days, one, two and five years, adjusted for age, gender and primary diagnosis**

	90 day Survival (95% CI)	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>				
0-19	99.1 (98.4-99.8)	96.3 (94.7-97.9)	93.2 (90.7-95.7)	84.9 (79.6-90.6)
20-44	98.7 (98.4-99.0)	95.0 (94.4-95.6)	89.7 (88.8-90.6)	72.9 (71.2-74.7)
45-64	95.9 (95.6-96.3)	87.1 (86.5-87.7)	76.0 (75.3-76.8)	46.3 (45.3-47.4)
65-74	92.0 (91.5-92.5)	76.5 (75.7-77.3)	60.0 (59.1-60.9)	26.4 (25.5-27.3)
75+	85.3 (84.3-86.3)	63.5 (62.2-64.8)	44.8 (43.4-46.2)	13.4 (12.4-14.3)
Male	94.6 (94.4-94.9)	84.2 (83.7-84.6)	71.9 (71.2-72.5)	40.9 (40.1-41.7)
Female	94.9 (94.5-95.2)	84.6 (84.0-85.2)	73.1 (72.4-73.9)	44.4 (43.5-45.4)
DM	94.3 (93.8-94.8)	78.9 (77.9-79.8)	60.6 (59.4-61.8)	24.5 (23.4-25.7)
Non DM	94.7 (94.5-95.0)	85.3 (84.9-85.7)	74.8 (74.2-75.3)	46.7 (46.0-47.5)
All	94.7 (94.5-94.9)	84.3 (84.0-84.7)	72.4 (71.9-72.9)	42.3 (41.7-43.0)

	90 day Survival (95% CI)	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>				
0-19				
20-44	99.1 (98.4-99.8)	95.6 (94.0-97.2)	90.9 (88.5-93.4)	73.6 (68.3-79.3)
45-64	95.1 (94.1-96.1)	85.2 (83.5-86.9)	74.1 (72.0-76.3)	39.5 (36.6-42.5)
65-74	92.9 (91.5-94.3)	75.9 (73.6-78.3)	59.8 (57.1-62.7)	23.5 (21.0-26.3)
75+	87.0 (84.2-89.9)	62.9 (58.9-67.2)	40.2 (36.2-44.8)	12.3 (9.7-15.6)
Male	95.3 (94.5-96.1)	84.2 (82.8-85.7)	71.5 (69.7-73.4)	36.4 (34.0-39.0)
Female	94.7 (93.8-95.6)	83.0 (81.4-84.6)	71.0 (69.0-73.1)	40.9 (38.3-43.7)
DM	94.1 (92.9-95.4)	77.3 (75.1-79.7)	59.6 (56.8-62.5)	21.2 (18.6-24.1)
Non DM	94.7 (94.0-95.5)	84.3 (83.0-85.6)	73.2 (71.6-74.9)	42.7 (40.6-45.0)
All	95.0 (94.4-95.6)	83.6 (82.5-84.7)	71.2 (69.8-72.6)	38.3 (36.5-40.1)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Dialysis**

Table A.5.11

**One-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, unadjusted**  
*from day 91 to one, two and five years + 90 days, by age, gender and primary diagnosis*

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>			
0-19	96.5 (94.7-97.7)	94.7 (92.3-96.3)	88.8 (84.7-91.9)
20-44	95.0 (94.4-95.5)	89.9 (89.0-90.7)	73.8 (72.6-75.0)
45-64	87.5 (87.0-88.0)	76.0 (75.4-76.5)	46.5 (46.0-47.0)
65-74	78.2 (77.6-78.8)	60.9 (60.4-61.5)	27.1 (26.9-27.4)
75+	69.3 (68.3-70.2)	49.4 (48.7-50.1)	15.2 (15.0-15.3)
Male	83.5 (83.1-83.9)	69.3 (68.8-69.7)	36.9 (36.6-37.2)
Female	83.4 (82.9-83.9)	69.8 (69.3-70.4)	39.2 (38.8-39.5)
DM	76.4 (75.5-77.2)	57.0 (56.3-57.7)	21.4 (21.1-21.6)
Non DM	85.0 (84.6-85.4)	72.4 (72.0-72.8)	41.9 (41.6-42.2)
All	83.5 (83.1-83.8)	69.5 (69.1-69.9)	37.8 (37.6-38.1)

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>			
0-19	94.9 (82.4-98.6)	90.3 (74.1-96.6)	90.3 (74.1-96.6)
20-44	95.2 (93.2-96.6)	90.6 (88.0-92.7)	73.9 (70.0-77.4)
45-64	86.2 (84.6-87.6)	73.6 (71.8-75.3)	39.3 (38.1-40.4)
65-74	74.3 (72.3-76.2)	56.9 (55.1-58.6)	21.8 (21.3-22.4)
75+	62.7 (59.8-65.5)	41.9 (39.9-43.9)	12.8 (12.4-13.2)
Male	83.0 (81.6-84.3)	69.2 (67.7-70.6)	33.8 (33.0-34.7)
Female	79.4 (77.7-80.9)	64.6 (63.0-66.2)	33.9 (32.9-34.8)
DM	73.2 (71.1-75.1)	54.5 (52.8-56.2)	16.8 (16.4-17.2)
Non DM	84.6 (83.4-85.8)	72.3 (71.0-73.6)	41.5 (40.6-42.5)
All	81.4 (80.4-82.4)	67.2 (66.1-68.3)	33.9 (33.3-34.5)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Dialysis**

Table A.5.12

**One-, two- and five-year survival probabilities (cohort 1992-1996): Incident dialysis patients, adjusted from day 91 to one, two and five years + 90 days, adjusted for age, gender and primary diagnosis**

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>			
0-19	95.6 (93.7-97.6)	93.4 (90.8-96.0)	85.4 (80.0-91.1)
20-44	95.0 (94.4-95.6)	89.7 (88.8-90.7)	72.2 (70.4-74.1)
45-64	88.0 (87.4-88.5)	76.7 (76.0-77.5)	46.4 (45.3-47.5)
65-74	78.6 (77.8-79.4)	61.3 (60.4-62.3)	26.9 (26.0-27.8)
75+	68.3 (66.9-69.7)	47.9 (46.4-49.4)	14.0 (13.0-15.1)
Male	85.5 (85.0-86.0)	72.7 (72.0-73.3)	40.8 (39.9-41.7)
Female	86.1 (85.5-86.6)	74.2 (73.4-74.9)	44.6 (43.6-45.7)
DM	78.3 (77.3-79.3)	60.0 (58.8-61.2)	23.5 (22.3-24.7)
Non DM	87.1 (86.7-87.5)	76.0 (75.4-76.5)	47.0 (46.3-47.8)
All	85.7 (85.3-86.1)	73.3 (72.8-73.8)	42.3 (41.7-43.0)

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>			
0-19			
20-44	95.3 (93.6-97.0)	90.7 (88.2-93.3)	71.0 (65.1-77.4)
45-64	87.4 (85.8-89.1)	75.5 (73.3-77.7)	39.8 (36.8-43.0)
65-74	76.5 (74.1-79.0)	59.9 (57.0-62.9)	23.6 (21.0-26.6)
75+	64.1 (59.8-68.8)	43.4 (39.0-48.3)	13.7 (10.7-17.4)
Male	85.1 (83.6-86.5)	72.4 (70.5-74.4)	36.3 (33.8-39.0)
Female	84.2 (82.6-85.8)	71.6 (69.5-73.8)	41.0 (38.2-43.9)
DM	76.7 (74.3-79.2)	59.4 (56.5-62.4)	19.8 (17.1-22.9)
Non DM	85.9 (84.6-87.2)	74.2 (72.5-75.9)	43.1 (40.8-45.5)
All	84.6 (83.5-85.7)	71.9 (70.5-73.4)	38.2 (36.3-40.2)



Table A.5.13

**90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, unadjusted**  
*from day 1 to 90 days, one and two years, by age, gender and primary diagnosis*

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	98.9 (97.9-99.5)	96.0 (94.2-97.2)	94.5 (92.3-96.0)
20-44	98.5 (98.2-98.8)	94.6 (94.1-95.1)	90.0 (89.3-90.7)
45-64	95.9 (95.6-96.1)	86.9 (86.5-87.4)	76.5 (76.0-77.0)
65-74	91.0 (90.6-91.4)	75.6 (75.0-76.1)	60.1 (59.6-60.6)
75+	86.7 (86.1-87.3)	66.7 (66.1-67.4)	48.7 (48.1-49.2)
Male	93.2 (93.0-93.5)	81.0 (80.6-81.3)	67.8 (67.4-68.2)
Female	92.9 (92.6-93.2)	80.5 (80.1-81.0)	67.6 (67.1-68.1)
DM	93.4 (93.0-93.9)	78.1 (77.5-78.8)	59.9 (59.3-60.5)
Non DM	92.9 (92.6-93.1)	81.2 (80.9-81.6)	69.6 (69.2-69.9)
All	93.1 (92.9-93.3)	80.8 (80.5-81.1)	67.7 (67.4-68.0)

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19	100	100	100
20-44	98.1 (96.8-98.9)	94.9 (93.0-96.3)	92.0 (89.7-93.8)
45-64	94.7 (93.6-95.6)	83.1 (81.6-84.6)	71.2 (69.6-72.7)
65-74	90.2 (88.7-91.5)	72.0 (70.3-73.7)	55.4 (53.9-56.9)
75+	86.6 (84.4-88.6)	64.4 (62.1-66.6)	43.1 (41.5-44.6)
Male	93.3 (92.4-94.1)	79.4 (78.2-80.6)	65.5 (64.2-66.7)
Female	91.6 (90.4-92.7)	77.2 (75.7-78.7)	63.2 (61.7-64.6)
DM	91.5 (90.1-92.7)	73.7 (71.9-75.4)	54.0 (52.6-55.5)
Non DM	93.1 (92.3-93.9)	80.6 (79.5-81.7)	69.2 (68.1-70.4)
All	92.6 (91.9-93.3)	78.5 (77.6-79.5)	64.5 (63.6-65.5)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival on Dialysis**

Table A.5.14

**90-day, one- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, adjusted from day 1 to 90 days, one and two years, adjusted for age, gender and primary diagnosis**

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	98.8 (98.0-99.6)	95.4 (93.7-97.2)	93.5 (91.3-95.8)
20-44	98.5 (98.2-98.8)	94.6 (94.1-95.2)	90.0 (89.2-90.8)
45-64	95.9 (95.6-96.2)	87.3 (86.7-87.8)	77.1 (76.5-77.8)
65-74	91.0 (90.5-91.5)	75.9 (75.2-76.6)	60.6 (59.8-61.4)
75+	86.2 (85.5-86.9)	66.0 (65.0-67.0)	47.7 (46.6-48.7)
Male	94.5 (94.3-94.8)	84.4 (84.0-84.8)	73.3 (72.7-73.8)
Female	94.5 (94.2-94.8)	84.7 (84.2-85.2)	74.0 (73.4-74.7)
DM	94.5 (94.1-94.9)	81.2 (80.5-82.0)	64.8 (63.9-65.7)
Non DM	94.4 (94.2-94.7)	85.1 (84.8-85.5)	75.4 (74.9-75.9)
All	94.5 (94.3-94.7)	84.6 (84.2-84.9)	73.6 (73.1-74.0)

	<b>90 day Survival (95% CI)</b>	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19			
20-44	98.1 (97.1-99.1)	94.9 (93.2-96.6)	92.0 (89.8-94.3)
45-64	95.0 (94.0-96.0)	84.1 (82.4-85.8)	72.7 (70.6-74.8)
65-74	90.8 (89.4-92.3)	74.2 (72.0-76.5)	58.4 (55.9-61.1)
75+	87.1 (84.7-89.5)	65.5 (62.2-69.0)	44.4 (40.9-48.2)
Male	94.6 (93.8-95.3)	83.0 (81.7-84.3)	70.6 (68.9-72.3)
Female	94.2 (93.3-95.1)	83.6 (82.2-85.1)	72.4 (70.6-74.3)
DM	93.3 (92.2-94.5)	78.9 (77.0-80.9)	61.6 (59.2-64.1)
Non DM	94.2 (93.5-94.9)	83.4 (82.2-84.7)	73.2 (71.7-74.7)
All	94.4 (93.8-95.0)	83.2 (82.2-84.2)	71.3 (70.0-72.6)

Table A.5.15

**One- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, unadjusted**  
*from day 91 to one and two years + 90 days, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	96.7 (94.9-97.8)	94.9 (92.6-96.5)
20-44	94.9 (94.4-95.4)	90.1 (89.4-90.8)
45-64	87.7 (87.3-88.2)	77.1 (76.6-77.7)
65-74	78.7 (78.2-79.3)	61.9 (61.4-62.4)
75+	71.6 (70.9-72.3)	51.5 (50.9-52.0)
Male	83.3 (82.9-83.6)	69.2 (68.8-69.6)
Female	83.1 (82.6-83.5)	69.3 (68.8-69.8)
DM	78.6 (77.9-79.2)	59.7 (59.1-60.3)
Non DM	84.3 (83.9-84.6)	71.7 (71.3-72.0)
All	83.2 (82.9-83.5)	69.3 (69.0-69.6)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19	100	100
20-44	95.7 (93.8-97.0)	92.5 (90.0-94.3)
45-64	84.8 (83.2-86.2)	71.9 (70.2-73.5)
65-74	75.0 (73.1-76.8)	56.8 (55.2-58.5)
75+	67.8 (65.3-70.3)	43.2 (41.4-44.9)
Male	81.2 (79.9-82.5)	66.1 (64.8-67.4)
Female	80.6 (79.0-82.1)	64.9 (63.3-66.4)
DM	75.1 (73.2-76.9)	54.0 (52.4-55.6)
Non DM	83.5 (82.3-84.6)	70.8 (69.5-72.0)
All	81.0 (80.0-81.9)	65.6 (64.6-66.6)

Table A.5.16

**One- and two-year survival probabilities (cohort 1995-1999): Incident dialysis patients, adjusted from day 91 to one and two years + 90 days, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	96.3 (94.6-98.0)	94.1 (91.8-96.5)
20-44	94.9 (94.4-95.5)	90.2 (89.4-91.0)
45-64	88.2 (87.7-88.7)	78.1 (77.4-78.8)
65-74	79.2 (78.5-79.9)	62.9 (62.0-63.7)
75+	71.0 (69.9-72.0)	50.9 (49.7-52.0)
Male	86.3 (85.9-86.7)	74.5 (74.0-75.1)
Female	86.6 (86.2-87.1)	75.5 (74.8-76.1)
DM	81.4 (80.6-82.2)	64.7 (63.7-65.7)
Non DM	87.3 (87.0-87.7)	77.0 (76.5-77.5)
All	86.4 (86.1-86.8)	74.9 (74.5-75.4)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44	95.8 (94.2-97.4)	92.5 (90.2-94.8)
45-64	86.0 (84.3-87.6)	74.0 (71.8-76.2)
65-74	77.4 (75.2-79.7)	60.5 (57.8-63.3)
75+	69.1 (65.6-72.8)	45.5 (41.7-49.6)
Male	84.5 (83.1-85.8)	71.3 (69.5-73.1)
Female	86.1 (84.7-87.6)	73.9 (71.9-75.8)
DM	79.8 (77.8-81.9)	61.7 (59.1-64.4)
Non DM	85.7 (84.5-86.9)	74.3 (72.7-75.9)
All	85.2 (84.2-86.1)	72.3 (71.0-73.7)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (cadaver donor)**

Table A.5.17

**One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (cadaver donor), unadjusted from day of transplant to one, two and five years, by age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	96.5 (94.7-97.7)	95.8 (93.9-97.1)	94.1 (92.0-95.6)
20-44	96.8 (96.2-97.3)	95.1 (94.4-95.8)	90.1 (89.2-91.0)
45-64	92.0 (91.2-92.7)	88.7 (87.8-89.5)	77.7 (76.7-78.7)
65+	87.4 (84.3-89.9)	82.4 (79.2-85.2)	63.0 (60.0-65.8)
Male	94.0 (93.4-94.6)	91.4 (90.7-92.1)	82.5 (81.6-83.3)
Female	94.2 (93.4-94.9)	91.8 (90.9-92.7)	84.6 (83.5-85.7)
DM	91.7 (90.0-93.2)	86.8 (84.8-88.5)	74.5 (72.4-76.5)
Non DM	94.2 (93.6-94.7)	92.0 (91.4-92.6)	84.4 (83.6-85.1)
All	94.1 (93.6-94.5)	91.6 (91.0-92.1)	83.3 (82.6-83.9)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19	93.0 (84.8-96.8)	93.0 (84.8-96.8)	91.5 (83.2-95.8)
20-44	97.9 (96.1-98.8)	96.2 (94.1-97.5)	91.9 (89.3-93.9)
45-64	92.3 (89.9-94.1)	88.5 (85.9-90.6)	77.5 (74.7-80.1)
65+	87.5 (78.9-92.7)	80.6 (71.9-86.8)	66.5 (58.7-73.2)
Male	94.3 (92.5-95.7)	90.9 (88.9-92.6)	81.6 (79.2-83.7)
Female	94.2 (91.7-96.0)	92.1 (89.4-94.1)	86.8 (83.7-89.3)
DM	93.6 (88.8-96.4)	87.2 (81.8-91.1)	72.4 (67.0-77.1)
Non DM	94.4 (92.9-95.6)	92.0 (90.3-93.4)	85.2 (83.2-87.0)
All	94.3 (92.9-95.4)	91.4 (89.8-92.7)	83.5 (81.6-85.2)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (cadaver donor)**

Table A.5.18

**One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (cadaver donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis**

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>ALL COUNTRIES</b>			
0-19	96.1 (94.5-97.8)	95.4 (93.6-97.2)	93.4 (91.3-95.6)
20-44	97.0 (96.4-97.5)	95.4 (94.8-96.1)	90.7 (89.8-91.7)
45-64	91.9 (91.1-92.8)	88.7 (87.7-89.7)	78.0 (76.7-79.4)
65+	87.4 (84.3-90.7)	82.7 (79.1-86.4)	63.1 (58.6-67.9)
Male	94.9 (94.3-95.5)	92.7 (92.0-93.4)	84.9 (83.9-85.9)
Female	94.8 (94.1-95.6)	92.7 (91.8-93.6)	86.1 (84.9-87.3)
DM	91.8 (90.1-93.6)	86.9 (84.8-89.0)	74.3 (71.6-77.1)
Non DM	95.1 (94.6-95.6)	93.2 (92.6-93.7)	86.3 (85.4-87.1)
All	94.9 (94.4-95.4)	92.7 (92.2-93.3)	85.4 (84.6-86.2)

	1 year Survival (95% CI)	2 year Survival (95% CI)	5 year Survival (95% CI)
<b>AUSTRIA</b>			
0-19			
20-44	98.0 (96.8-99.2)	96.4 (94.8-98.1)	92.4 (90.1-94.7)
45-64	92.7 (90.7-94.8)	89.2 (86.7-91.7)	78.6 (75.3-82.0)
65+	88.9 (82.4-96.0)	82.6 (74.8-91.3)	69.7 (60.3-80.5)
Male	95.7 (94.4-97.0)	93.0 (91.4-94.6)	85.2 (82.8-87.5)
Female	95.2 (93.4-97.1)	93.5 (91.4-95.6)	88.9 (86.2-91.6)
DM	94.9 (91.8-98.0)	89.5 (85.3-94.0)	76.7 (70.8-83.0)
Non DM	95.3 (94.1-96.5)	93.3 (91.9-94.7)	87.2 (85.3-89.2)
All	95.5 (94.5-96.6)	93.2 (91.9-94.5)	86.5 (84.7-88.4)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (cadaver donor)**

Table A.5.19

**One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (cadaver donor), unadjusted**  
*from day of transplant to one and two years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	97.3 (95.6-98.3)	95.9 (93.9-97.2)
20-44	97.4 (96.9-97.9)	96.2 (95.6-96.8)
45-64	94.1 (93.4-94.7)	91.5 (90.7-92.2)
65+	85.7 (83.0-88.0)	81.0 (78.2-83.5)
Male	94.9 (94.4-95.4)	92.8 (92.1-93.4)
Female	95.5 (94.8-96.1)	93.5 (92.7-94.2)
DM	93.0 (91.5-94.3)	90.5 (88.7-91.9)
Non DM	95.4 (94.9-95.8)	93.4 (92.9-93.9)
All	95.1 (94.7-95.5)	93.0 (92.5-93.5)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19	97.0 (88.9-99.2)	92.4 (83.8-96.6)
20-44	97.4 (95.7-98.5)	95.5 (93.4-96.9)
45-64	91.9 (89.4-93.7)	87.4 (84.7-89.6)
65+	82.1 (73.8-87.9)	75.6 (67.5-82.0)
Male	94.1 (92.2-95.5)	90.5 (88.4-92.2)
Female	93.5 (91.1-95.3)	90.1 (87.4-92.3)
DM	94.5 (90.0-97.0)	89.6 (84.5-93.1)
Non DM	93.8 (92.2-95.0)	90.5 (88.7-92.0)
All	93.9 (92.5-95.0)	90.3 (88.7-91.8)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (cadaver donor)**

Table A.5.20

**One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (cadaver donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	97.2 (95.8-98.7)	95.7 (93.9-97.5)
20-44	97.5 (97.0-98.0)	96.4 (95.8-97.0)
45-64	94.2 (93.5-94.9)	91.7 (90.8-92.5)
65+	85.4 (82.5-88.5)	81.2 (78.0-84.6)
Male	95.9 (95.5-96.4)	94.2 (93.6-94.8)
Female	96.0 (95.4-96.6)	94.4 (93.6-95.1)
DM	93.2 (91.8-94.7)	90.8 (89.1-92.5)
Non DM	96.2 (95.8-96.6)	94.5 (94.0-95.0)
All	96.0 (95.6-96.4)	94.2 (93.8-94.7)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44	97.6 (96.3-98.9)	95.8 (94.1-97.5)
45-64	92.0 (89.7-94.2)	87.8 (85.2-90.6)
65+		
Male	95.4 (94.0-96.7)	92.4 (90.7-94.2)
Female	94.3 (92.4-96.3)	91.5 (89.2-93.9)
DM	94.6 (91.4-97.9)	90.8 (86.7-95.0)
Non DM	94.8 (93.5-96.0)	91.9 (90.4-93.5)
All	95.0 (93.8-96.1)	92.1 (90.7-93.5)



**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (living donor)**

Table A.5.21

**One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (living donor), unadjusted**  
*from day of transplant to one, two and five years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	98.3 (96.1-99.3)	98.0 (95.7-99.1)	97.4 (94.9-98.6)
20-44	98.8 (97.9-99.3)	97.5 (96.4-98.2)	93.9 (92.4-95.1)
45-64	96.2 (94.1-97.6)	95.6 (93.3-97.1)	89.4 (86.5-91.6)
65+	83.3 (71.3-90.6)	76.2 (64.6-84.4)	64.3 (54.2-72.7)
Male	97.6 (96.5-98.3)	96.9 (95.7-97.7)	93.0 (91.5-94.3)
Female	98.1 (96.8-98.8)	96.3 (94.7-97.4)	92.2 (90.2-93.8)
DM	95.6 (91.3-97.8)	92.5 (87.6-95.5)	81.1 (75.6-85.5)
Non DM	97.9 (97.2-98.5)	97.0 (96.1-97.7)	93.8 (92.6-94.8)
All	97.7 (97.0-98.3)	96.6 (95.7-97.3)	92.7 (91.5-93.7)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19			
20-44	100	97.2 (82.7-99.6)	97.2 (82.7-99.6)
45-64			
65+			
Male	93.9 (79.5-98.3)	93.9 (79.5-98.3)	93.9 (79.5-98.3)
Female			
DM			
Non DM	96.4 (87.1-99.0)	94.6 (85.2-98.1)	94.6 (85.2-98.1)
All	96.6 (87.7-99.1)	94.9 (85.8-98.2)	94.9 (85.8-98.2)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (living donor)**

Table A.5.22

**One-, two- and five-year survival probabilities (cohort 1992-1996): First transplant patients (living donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19			
20-44	98.9 (98.3-99.5)	97.6 (96.8-98.5)	94.3 (92.9-95.7)
45-64	96.5 (94.9-98.2)	95.9 (94.1-97.7)	90.1 (87.4-92.8)
65+			
Male	97.2 (96.1-98.2)	96.3 (95.1-97.5)	91.7 (89.9-93.5)
Female	97.6 (96.3-98.8)	95.3 (93.6-97.1)	90.2 (87.7-92.7)
DM	95.1 (91.6-98.7)	91.6 (87.2-96.2)	79.0 (72.6-85.9)
Non DM	97.4 (96.5-98.2)	96.2 (95.1-97.2)	91.9 (90.5-93.4)
All	97.3 (96.5-98.1)	95.9 (95.0-96.9)	91.1 (89.7-92.6)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19			
20-44			
45-64			
65+			
Male			
Female			
DM			
Non DM			
All			

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (living donor)**

Table A.5.23

**One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (living donor), unadjusted**  
*from day of transplant to one and two years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	98.2 (96.2-99.2)	97.7 (95.4-98.8)
20-44	98.8 (98.0-99.3)	98.1 (97.1-98.7)
45-64	95.9 (94.2-97.2)	95.6 (93.8-96.9)
65+	90.3 (81.1-95.2)	87.1 (77.7-92.7)
Male	98.0 (97.2-98.6)	97.7 (96.8-98.3)
Female	97.1 (95.7-98.0)	95.9 (94.3-97.0)
DM	97.3 (93.7-98.8)	96.2 (92.3-98.1)
Non DM	97.7 (97.0-98.3)	97.1 (96.3-97.7)
All	97.7 (97.0-98.2)	97.0 (96.3-97.6)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44	98.6 (90.9-99.8)	95.9 (88.3-98.6)
45-64		
65+		
Male	97.5 (90.6-99.3)	96.2 (89.1-98.7)
Female	98.0 (86.9-99.7)	95.9 (85.4-98.9)
DM		
Non DM	98.3 (93.7-99.6)	96.7 (91.7-98.7)
All	97.7 (93.1-99.2)	96.1 (91.2-98.3)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Patient Survival after First Transplant (living donor)**

Table A.5.24

**One- and two-year survival probabilities (cohort 1995-1999): First transplant patients (living donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19		
20-44	98.8 (98.3-99.4)	98.2 (97.4-98.9)
45-64	95.9 (94.4-97.5)	95.6 (94.1-97.2)
65+		
Male	97.8 (97.0-98.6)	97.4 (96.5-98.3)
Female	96.5 (95.1-97.9)	95.0 (93.3-96.6)
DM		
Non DM	97.3 (96.5-98.1)	96.6 (95.7-97.4)
All	97.3 (96.6-98.0)	96.5 (95.7-97.4)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44		
45-64		
65+		
Male		
Female		
DM		
Non DM		
All		

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (cadaver donor)**

Table A.5.25

**One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (cadaver donor), unadjusted**  
*from day of transplant to one, two and five years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	80.6 (77.7-83.2)	76.8 (73.9-79.4)	64.7 (62.0-67.3)
20-44	87.1 (86.1-88.1)	83.5 (82.4-84.5)	72.6 (71.5-73.6)
45-64	83.4 (82.4-84.3)	79.9 (78.9-80.9)	67.6 (66.6-68.6)
65+	82.2 (79.0-85.0)	77.3 (74.0-80.2)	57.1 (54.4-59.7)
Male	84.8 (83.9-85.6)	81.0 (80.2-81.9)	68.3 (67.5-69.2)
Female	84.6 (83.5-85.6)	81.1 (79.9-82.2)	69.9 (68.8-71.1)
DM	83.3 (81.2-85.1)	77.6 (75.5-79.6)	64.6 (62.6-66.5)
Non DM	84.6 (83.9-85.3)	81.2 (80.5-82.0)	69.4 (68.7-70.2)
All	84.7 (84.0-85.3)	81.1 (80.4-81.7)	68.9 (68.2-69.6)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19	80.0 (70.8-86.6)	75.4 (66.4-82.3)	64.6 (56.6-71.6)
20-44	89.1 (86.3-91.4)	85.9 (82.9-88.4)	73.9 (70.8-76.7)
45-64	84.5 (81.7-86.8)	80.5 (77.7-83.0)	67.9 (65.1-70.4)
65+	83.3 (74.7-89.3)	79.2 (70.5-85.5)	65.2 (57.5-71.8)
Male	85.8 (83.5-87.8)	81.5 (79.1-83.7)	68.0 (65.6-70.2)
Female	86.4 (83.3-88.9)	83.5 (80.3-86.2)	73.2 (69.9-76.1)
DM	84.4 (78.9-88.6)	78.6 (72.9-83.2)	63.6 (58.6-68.2)
Non DM	86.3 (84.3-88.0)	82.8 (80.8-84.7)	70.9 (68.8-72.8)
All	86.0 (84.2-87.6)	82.3 (80.4-84.0)	69.9 (68.0-71.7)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (cadaver donor)**

Table A.5.26

**One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (cadaver donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	80.1 (76.6-83.7)	76.0 (72.3-79.9)	64.4 (60.3-68.8)
20-44	87.3 (86.1-88.4)	83.7 (82.5-85.0)	73.1 (71.6-74.7)
45-64	83.1 (81.9-84.3)	79.6 (78.3-80.9)	67.5 (66.0-69.1)
65+	82.3 (78.8-86.1)	78.0 (74.2-82.1)	57.7 (53.1-62.6)
Male	84.7 (83.7-85.7)	81.0 (79.9-82.1)	68.6 (67.3-69.9)
Female	84.4 (83.0-85.7)	80.8 (79.4-82.3)	69.7 (68.1-71.4)
DM	83.0 (80.7-85.5)	77.3 (74.7-80.0)	64.1 (61.1-67.3)
Non DM	84.7 (83.8-85.5)	81.3 (80.4-82.3)	69.5 (68.4-70.6)
All	84.6 (83.8-85.4)	81.0 (80.1-81.9)	69.1 (68.0-70.1)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19			
20-44	89.4 (86.6-92.2)	86.2 (83.1-89.3)	74.4 (70.5-78.4)
45-64	84.8 (81.9-87.8)	80.9 (77.7-84.2)	68.4 (64.6-72.3)
65+	84.0 (76.1-92.6)	79.9 (71.4-89.5)	66.2 (56.3-77.8)
Male	86.2 (83.8-88.7)	82.1 (79.4-84.9)	68.8 (65.5-72.2)
Female	86.5 (83.3-89.8)	83.7 (80.3-87.2)	73.3 (69.3-77.6)
DM	84.8 (79.4-90.5)	79.0 (72.9-85.6)	64.2 (57.2-72.2)
Non DM	86.4 (84.3-88.5)	83.0 (80.7-85.3)	71.1 (68.3-73.9)
All	86.3 (84.4-88.3)	82.7 (80.5-84.9)	70.5 (67.9-73.1)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (cadaver donor)**

Table A.5.27

**One- and two-year survival probabilities (cohort 1995-1999): First graft (cadaver donor), unadjusted**  
*from day of transplant to one and two years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	85.2 (82.3-87.7)	81.3 (78.3-83.9)
20-44	90.0 (89.1-90.8)	87.5 (86.6-88.4)
45-64	87.4 (86.5-88.2)	84.0 (83.1-84.9)
65+	80.9 (78.1-83.4)	75.0 (72.2-77.6)
Male	88.1 (87.4-88.9)	84.9 (84.1-85.6)
Female	87.6 (86.6-88.5)	84.4 (83.4-85.4)
DM	87.2 (85.3-88.8)	83.7 (81.7-85.4)
Non DM	87.9 (87.2-88.5)	84.7 (84.0-85.4)
All	87.9 (87.3-88.5)	84.7 (84.1-85.3)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19	84.5 (74.6-90.8)	77.6 (67.9-84.7)
20-44	91.5 (89.0-93.5)	88.9 (86.2-91.1)
45-64	87.0 (84.3-89.3)	81.9 (79.0-84.3)
65+	80.8 (72.5-86.8)	74.4 (66.3-80.8)
Male	88.0 (85.7-89.9)	83.3 (80.9-85.5)
Female	89.1 (86.2-91.3)	85.3 (82.3-87.9)
DM	88.3 (83.2-92.0)	82.2 (76.8-86.5)
Non DM	88.4 (86.5-90.0)	84.4 (82.4-86.2)
All	88.4 (86.7-89.9)	84.1 (82.3-85.8)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (cadaver donor)**

Table A.5.28

**One- and two-year survival probabilities (cohort 1995-1999): First graft (cadaver donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	85.4 (82.2-88.6)	81.5 (78.1-85.1)
20-44	90.0 (89.0-91.0)	87.6 (86.5-88.7)
45-64	87.3 (86.3-88.3)	83.9 (82.8-85.0)
65+	80.7 (77.4-84.1)	75.4 (71.8-79.1)
Male	88.3 (87.4-89.2)	85.1 (84.2-86.1)
Female	87.4 (86.3-88.6)	84.4 (83.2-85.6)
DM	86.9 (84.9-89.0)	83.5 (81.3-85.8)
Non DM	88.0 (87.3-88.8)	84.9 (84.1-85.7)
All	88.0 (87.3-88.6)	84.8 (84.1-85.6)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44	91.7 (89.4-94.2)	89.2 (86.5-91.9)
45-64	87.0 (84.2-89.8)	82.0 (78.9-85.3)
65+		
Male	88.3 (86.0-90.6)	83.8 (81.1-86.5)
Female	88.9 (86.1-91.8)	85.5 (82.3-88.7)
DM	87.8 (83.0-92.9)	82.3 (76.7-88.3)
Non DM	88.5 (86.6-90.5)	84.6 (82.4-86.8)
All	88.5 (86.8-90.4)	84.4 (82.4-86.5)



**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (living donor)**

Table A.5.29

**One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (living donor), unadjusted**  
*from day of transplant to one, two and five years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	93.3 (89.8-95.6)	91.4 (87.7-94.0)	81.3 (77.1-84.8)
20-44	92.9 (91.2-94.2)	89.5 (87.7-91.1)	80.5 (78.5-82.4)
45-64	91.2 (88.4-93.3)	89.8 (86.9-92.1)	82.3 (79.2-85.0)
65+	82.9 (70.7-90.4)	73.2 (61.7-81.7)	61.0 (51.2-69.4)
Male	92.6 (91.1-94.0)	89.6 (87.9-91.1)	80.4 (78.4-82.2)
Female	91.7 (89.6-93.4)	89.4 (87.1-91.2)	81.0 (78.5-83.3)
DM	90.4 (85.2-93.8)	85.3 (79.8-89.4)	73.7 (68.2-78.4)
Non DM	92.5 (91.2-93.6)	89.9 (88.5-91.2)	81.3 (79.7-82.8)
All	92.3 (91.0-93.3)	89.5 (88.2-90.7)	80.6 (79.1-82.1)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19			
20-44	84.8 (70.8-92.5)	81.8 (67.9-90.1)	72.7 (59.9-82.1)
45-64			
65+			
Male	80.0 (65.5-88.9)	76.7 (62.5-86.0)	73.3 (59.7-83.0)
Female			
DM			
Non DM	88.5 (78.0-94.1)	86.5 (76.0-92.7)	78.8 (68.4-86.2)
All	87.3 (77.1-93.1)	85.5 (75.3-91.7)	78.2 (68.1-85.4)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (living donor)**

Table A.5.30

**One-, two- and five-year survival probabilities (cohort 1992-1996): First graft (living donor), adjusted from day of transplant to one, two and five years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>			
0-19	92.9 (89.8-96.1)	90.9 (87.4-94.5)	80.3 (75.5-85.3)
20-44	92.9 (91.3-94.5)	89.7 (87.9-91.6)	80.7 (78.3-83.1)
45-64	91.4 (88.8-94.0)	90.0 (87.3-92.8)	82.7 (79.3-86.3)
65+			
Male	92.0 (90.3-93.7)	88.9 (86.9-90.9)	79.1 (76.5-81.7)
Female	91.1 (88.9-93.4)	88.6 (86.1-91.2)	79.5 (76.3-82.9)
DM	90.0 (85.4-94.9)	84.7 (79.2-90.7)	72.9 (66.1-80.3)
Non DM	91.8 (90.3-93.2)	89.1 (87.5-90.8)	79.8 (77.6-82.1)
All	91.7 (90.3-93.1)	88.8 (87.2-90.4)	79.3 (77.1-81.5)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>	<b>5 year Survival (95% CI)</b>
<b>AUSTRIA</b>			
0-19			
20-44			
45-64			
65+			
Male			
Female			
DM			
Non DM			
All			

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (living donor)**

Table A.5.31

**One- and two-year survival probabilities (cohort 1995-1999): First graft (living donor), unadjusted**  
*from day of transplant to one and two years, by age, gender and primary diagnosis*

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	93.3 (90.0-95.5)	90.9 (87.4-93.4)
20-44	94.5 (93.2-95.6)	92.8 (91.3-94.1)
45-64	91.9 (89.7-93.7)	91.0 (88.7-92.8)
65+	90.3 (81.1-95.2)	87.1 (77.7-92.7)
Male	94.5 (93.3-95.5)	93.2 (91.9-94.3)
Female	91.7 (89.7-93.3)	89.5 (87.4-91.2)
DM	92.7 (88.1-95.5)	90.4 (85.6-93.6)
Non DM	93.6 (92.5-94.5)	92.0 (90.8-93.0)
All	93.5 (92.4-94.4)	91.9 (90.7-92.9)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44	96.9 (88.6-99.2)	95.3 (86.8-98.4)
45-64		
65+		
Male	94.0 (85.7-97.6)	92.5 (84.0-96.6)
Female	97.7 (85.2-99.7)	95.3 (83.6-98.7)
DM		
Non DM	96.1 (90.3-98.5)	94.2 (88.0-97.2)
All	95.5 (89.8-98.0)	93.6 (87.7-96.8)

**A5 SURVIVAL PROBABILITY (residents only)**  
**Graft Survival after First Transplant (living donor)**

Table A.5.32

**One- and two-year survival probabilities (cohort 1995-1999): First graft (living donor), adjusted from day of transplant to one and two years, adjusted for age, gender and primary diagnosis**

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>ALL COUNTRIES</b>		
0-19	93.0 (90.1-96.0)	90.6 (87.3-94.0)
20-44	94.6 (93.3-95.9)	92.9 (91.4-94.4)
45-64	91.8 (89.7-94.0)	90.9 (88.6-93.2)
65+		
Male	94.3 (93.0-95.6)	92.9 (91.5-94.3)
Female	91.2 (89.2-93.3)	88.9 (86.6-91.3)
DM	92.4 (88.6-96.5)	90.1 (85.8-94.7)
Non DM	93.2 (92.1-94.4)	91.6 (90.3-92.9)
All	93.2 (92.0-94.3)	91.5 (90.2-92.7)

	<b>1 year Survival (95% CI)</b>	<b>2 year Survival (95% CI)</b>
<b>AUSTRIA</b>		
0-19		
20-44		
45-64		
65+		
Male		
Female		
DM		
Non DM		
All		